

COMPLIANCE REPORT TO THE CONDITIONS LAID IN
THE ENVIRONMENTAL CLEARANCE

COMPLIANCE STATUS

PART A: SPECIFIC CONDITION

1. Specific Condition		
S. N.	Condition in EC	Compliance status
1.	The production Capacity of the industry (stand alone clinker grinding unit) for Either OPC or PPC shall not exceed 100TPD.	The same is noted and complied. The existing project capacity is 100 TPD. However, the unit is undergoing expansion in its clinker grinding capacity from 100 TPD to 400 TPD of either OPC or PPC.
2.	The Water Requirement for domestic, industrial and plantation usages shall not exceed 3.0 KLD. The water will be obtained from Tanker Supply. No ground water extraction shall be permitted without prior permission of the CGWA.	The same is noted. Existing water demand for the unit is 3.0 KLD. The same is procured from tanker water supply and no ground water will be abstracted without prior permission of the CGWA.
3.	The PP shall achieve the stack emission standards and ambient air standards as notified under E.P. Rules, 1986.	The stack emission standards and the ambient air standards are being/will be maintained at the unit as notified under E.P. Rules, 1986.
4.	The height of the stack for disbursement of the process emissions shall not be less than 30 mtrs from ground level.	The same is noted. Stack of 30 mt. height is provided for the project.
5.	The PP shall operate the unit with prior Consent to Establish and. Consent to Operate under the provisions of Water (Prevention & Control of Pollution) Act' 74 and Air (Prevention & Control of Pollution) Act' 81.	The same is complied with. Consent to Operate has been obtained from RSPCB vide letter no. F (CPM) / Ajmer (Kishangarh) / 1019 (1) / 2013 – 2014 / 1508 - 1510. Dated 30/05/2017. Valid till 30/11/2021. The same is enclosed as Annexure I.
6.	The particulate matter and gaseous emissions (SO _x , NO _x , CO, CO ₂ , etc.) from various processes / units / storages shall conform to the standards prescribed by the RPCB / CPCB or under the Environment (Protection) Rules' 86	The same is complied with. All the emissions are conformed to the standards prescribed by the RPCB / CPCB or under the Environment (Protection) Rules' 86 from time to time.

	from time to time.	
7.	At no time, the emissions shall go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the unit, the unit shall immediately put off operation and shall not restart until the control measures are rectified to achieve the desired efficiency.	The emission is well maintained as per the prescribed limits. The system processes are interlinked and designed so as that the unit shall immediately put off operation and shall not restart until the control measures are rectified to achieve the desired efficiency.
8.	An amount of Rs 1.85 lacs per annum should be used for housing of labor within the site with all necessary infrastructure and facilities such as health facility, sanitation facility, and fuel for cooking, along with safe drinking water, medical camps, and toilets for women, creche for infants.	As prescribed, amount of Rs. 1.85 lacs/annum had been spent on various activities such as housing, health facilities, sanitation facilities etc. for the labour. Also, cooking fuel, utensils, clean potable water etc. Were provided. Photographs of the same
9.	The PP shall install adequate dust collection and extraction system to control fugitive dust emissions at loading/unloading points and at all the transfer points. For source emission control, bag filters shall be provided on clinker hopper, cement silo, fly ash silo, elevator; packer; cement transport equipment etc which will also contribute to reduce fugitive emissions. The fugitive emissions during loading and unloading shall be suitably controlled. Fugitive dust emissions from ball mill and storage areas shall be collected in bag filters and recycled back to the process. Storage of raw material shall be in closed roof sheds. Water sprinkling arrangement shall be made in the raw material stock yard and cement bag loading areas.	The same is complied with. All the adequate measures is being/will be adopted for the dust collections and control the fugitive emissions.
10.	Ambient air quality monitoring stations shall be set up in consultation with RPCB in the down wind direction as well as where maximum ground level concentration of PM ₁₀ & PM _{2.5} , SO _x , NO _x , CO, CO ₂ , are anticipated.	The same is complied with and the regular monitoring is being /will be conducted as per the consultation with RPCB.
11.	Air emission sampling facilities shall be	The same is complied with and the regular

	provided for the emissions monitoring as per the Central Pollution Control Board guidelines, in consultation with RPCB.	monitoring is being /will be conducted as per the Central Pollution Control Board guidelines, in consultation with RPCB.
12.	Data on ambient air quality and emissions shall be submitted to RPCB once in six months carried out by MOEF / NABL / CPCB / Government approved lab.	The same is complied with.
13.	Fugitive dust emissions shall be controlled as per relevant guidelines issued by CPCB.	The same is complied with. All the possible measures being /will be used to control the fugitive dust emissions.
14.	The PP shall provide separate drainage and outlets for the management of storm water.	The same is complied with.
15.	Handling, manufacture, storage and transportation of hazardous chemicals shall be in accordance with the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 (amended till date).	The same is complied with. Handling, manufacture, storage and transportation of hazardous chemicals is being/will be completed with the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989.
16.	The PP shall take adequate measures for the control of noise so as to keep the noise levels below 85 Db in the work environment. Persons working near the machines should be provided with well-designed ear muffs/plugs and other personnel protective equipments.	The same is complied with. Workmen / Labour operating the noisy machines are being provided with ear muffs and shift rotations are being followed as per OSHAS norms.
17.	Suitable alarm system and standard procedure for transmitting the information on the occurrence of an accident to the proper focal point shall be established.	The same is noted and is being/will be followed.
18.	Efforts shall be made to increase green belt all around the premises. Native plant species shall be selected for this purpose in consultation with the local Forest Department A green belt development plan be prepared and implemented so as to cover at least 33% area of the plot size	The same is complied with. The total landscape area 3248.94 sq.m has been maintained in the industry.
19.	A qualified person in the field of environment or separate Environmental Management Cell shall	The same is noted.

	he established to implement and carry out various functions is set up under the control of a Senior Executive who will report directly to the head of the project.	
20.	As envisaged under the Environmental Management Plan, the PP shall earmark an amount of Rs. 22.65 lacs towards initial capital cost and Rs. 3.30 lacs towards annual recurring cost of implementing the Environmental Protection Measures. The funds earmarked for the environmental protection measures shall be kept in separate account and shall not be diverted for other purposes and year wise expenditure shall be reported to RPCB under the rules prescribed for environmental audit.	The same is noted and will be followed.
21.	Implementation of the environmental safeguards like fire fighting, water harvesting etc. along with socio economic measures like group insurance, free medical facilities, ESI/EPF facilities to the employees as envisaged under the Environmental Management Plan; details are to be submitted to the Rajasthan Pollution Control Board, at the time of applying for consent to establish/operate.	The same is complied with.
22.	As committed the PP shall earmark an initial amount of Rs.5.0 lacs towards capital cost and Rs. 0.2 Lacs per year annual maintenance cost for implementing various activities under CSR action plan The activities would include proposed Drinking Water facilities' (in 5 Govt. School around Kishangarh), providing Toilets & Urinals and First aid facility in Schools, and maintenance of these facilities. Total budget provision under CSR activities would be Rs. 5.2 lacs. Item wise break up in this regard may be submitted to RPCB at the time of applying for	The same is complied with. Various activities have been carried out in the head of CSR for the betterment of society.

	CTE.	
23.	The PP shall ensure that, the EC letter as well as the status of compliance of EC conditions and the monitoring data are placed on company's website and displayed at the project site	The same is complied with.
24.	Six monthly compliance status reports on project along with implementation of environmental measures shall be submitted to MoEF, Regional Office, Lucknow SEIAA, and Rajasthan State Pollution Control Board.	The same is complied with. Six monthly compliance report of EC has been regularly submitted.
25.	All the other statutory clearances such as the approvals for storage of diesel from the Chief Controller of Explosives, Fire department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (protection) Act, 1972 etc. shall be obtained, as may be applicable, by PP from the competent authority	The same is noted and followed.
26.	The PP shall ensure advertising in at least two local news papers widely circulated in the region, one of which shall be in vernacular language that, the project has been accorded environmental clearance and copies of the clearance letters are available with SEIAA, Rajasthan and the Rajasthan State Pollution Control Board and may also be seen on the website of the Board at www.rpcb.nic.in . The advertisement shall be made within 7(seven) days from the date of issue of the environmental clearance and a copy shall also be forwarded to the SEIAA, Rajasthan and Regional Office, Jaipur(S) of the Board.	The same is complied with.
27.	These stipulations would also be enforced amongst the others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment	The same is noted.

	(Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification' 06	
28.	Environment clearance is subject to final order of the Hon'ble Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition(Civil) No. 460 of the year 2004 as may be applicable to this project.	The same is noted.
29.	The SEIAA, Rajasthan reserves the right to add new conditions, modify/annual any of the stipulated conditions and/or to revoke the clearance if implementation of any c f the condition stipulated by SEIAA, Rajasthan or any other competent authorities is not satisfactory.	The same is noted.
GENERAL CONDITIONS		
1.	The environmental safeguards contained in Form 1-A shall be implemented in letter and spirit.	The same is complied with.
2.	Six monthly monitoring reports shall be submitted to Rajasthan and Rajasthan State Pollution Control Board.	The same is complied with. Regular monitoring is being/will be conducted.
3.	Officials of the RPCB, who would be monitoring the implementation of environmental safeguards, shall be given full cooperation facilities and documents/data by the PP during their inspection. A complete set of all the documents submitted to SEIAA, Rajasthan shall be forwarded to the DoE, Rajasthan and Rajasthan State Pollution Control Board.	The contents of para 3 are noted.
4.	In case of any change(s) in the scope of the project, the PP requires a fresh appraisal by SEIAA/SEAC, Rajasthan.	The same is noted and will be followed.
5.	The SEIAA/SEAC, Rajasthan reserves the right to add additional safe guard measures subsequently, if found necessary, and to take action including revoking of the environmental	The content of para 5 are noted.

	clearance under the provisions of the Environment (Protection) Act-1986, to ensure elective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	
6.	All the other statutory clearances such as the approvals for storage of diesel from the Chief Controller of Explosives, Fire department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (protection) Act, 1972 etc. shall be obtained, as may be applicable by PP from the competent authority.	The content of para 6 are noted.
7.	The PP shall ensure advertising in at least two local news papers wide circulated in the region, one of which shall be in vernacular language that, the project has been accorded environmental clearance and copies of the clearance letters are available with SEIAA, Rajasthan and the Rajasthan State Pollution Control Board and may also be seen on the website of the Board at www.rpcb.nic.in . The advertisement shall be made within 7(seven) days from the date of issue of the environmental clearance and a copy shall also be forwarded to the SEIAA, Rajasthan and Regional Office, Jaipur(S) of the Board.	The content of para 7 are complied with. Information regarding the grant of EC was published in local newspapers.
8.	These stipulations would also be enforced amongst the others under the provisions of Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification' 06.	The contents of para (8) are noted.
9.	Under the provisions of Environment	The contents of para (9) are noted.

	(Protection) Act, 1986, legal action shall be initiated against the proponent, if it was found that construction of the project has been started without obtaining environmental clearance.	
10.	Environment clearance is subject to final order of the Honb'le Supreme Court of India in the matter of Goa Foundation Vs. Union of India in Writ Petition(Civil) No. 460 of the year 2004 as may be applicable to this project.	The contents of para (10) are noted.
